UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE	READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER 2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
NORDA Technical Note 70	
4. TITLE (and Subtitle)	5. TYPE OF REPORT & PERIOD COVERED
APP FY-80 Task I Report: Comparisons of Vertical Sound Speed Profiles from the SIMAS	Final
and ICAPS Environmental Data Bases with High Quality Measured CTD and STD Data	5. PERFORMING ORG, REPORT NUMBER
7. AUTHOR(s)	B. CONTRACT OR GRANT NUMBER(s)
E. Hashimoto	
9. PERFORMING ORGANIZATION NAME AND ADDRESS	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
Naval Ocean Research & Development Activity Numerical Modeling Division, OSTL NSTL Station, Mississippi 39529	
11. CONTROLLING OFFICE NAME AND ADDRESS	12. REPORT DATE
Naval Ocean Research & Development Activity	September 1980
Ocean Programs Management Office, Code 500	13. NUMBER OF PAGES
NSTL Station, Mississippi 39529 14. MONITORING AGENCY NAME & ADDRESS(If different from Controlling Office)	15. SECURITY CLASS. (of this report)
	UNCLASSIFIED
	15a. DECLASSIFICATION/DOWNGRADING
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different fro	m Report)
18. SUPPLEMENTARY NOTES	
·	
19. KEY WORDS (Continue on reverse side if necessary and identify by block number,	
Sound and another	
Sound speed profiles Environmental data bases	
CTD data	
STD data	
20. ABSTRACT (Continue on reverse side if necessary and identify by block number)	
This report compares the "on-board vertical soun the SIMAS and ICAPS Environmental Data Bases CTD and STD data for 17 different geographic lo	nd speed (SS) profiles from with High Quality measured
The purpose of this study, using identical values (from CTD and STD sensors) as "on-board" inpu compare the resulting predicted SIMAS and ICAP "assumed oceanography" (CTD and STD measured	s of measured temperatures t BT observations, was to S sound speed profiles with

Naval Ocean Research and Development Activity NSTL Station, Mississippi 39529 APP FY-80 Task I Report: Comparisons of Vertical Sound Speed Profiles from the SIMAS and ICAPS Environmental Data Bases with High Quality Measured CTD and STD Data

NAVAL POSTGRADU MONTEREY, CALIFO

LIBRARY
RESEARCH REPORTS DIVISION
NAVAL POSTGRADUATE SCHOOL
MONTEREY, CALIFORNIA 93940

*Present Address:

3255 Wing Street San Diego, CA 92110

Ocean Data Systems, Inc.

E. Hashimoto*

Numerical Modeling Division
Ocean Science and Technology Laboratory

September 1980

APP FY-80 TASK I REPORT

"COMPARISONS OF VERTICAL SOUND SPEED PROFILES FROM THE SIMAS AND ICAPS ENVIRONMENTAL DATA BASES WITH HIGH QUALITY MEASURED CTD AND STD DATA."

by

E. HASHIMOTO

30 SEPTEMBER 1980

NAVAL OCEAN RESEARCH AND DEVELOPMENT ACTIVITY
NORDA Code 321
NSTL Station, Mississippi 39529

ABSTRACT

This report compares the "on-board" vertical sound speed (SS) profiles from the SIMAS and ICAPS Environmental Data Bases with High Quality measured CTD and STD Data for seventeen different geographic locations.

The purpose of this study, using identical values of measured temperatures (from CTD and STD sensors) as "on-board" input BT observations, was to compare the resulting predicted SIMAS and ICAPS sound speed profiles with "assumed oceanography" (CTD and STD measured observations).

ACKNOWLEDGEMENTS

The author would like to express his appreciation towards certain individuals who have been associated with or assisted in segments of this study. Without the cooperation of these individuals, this study could not have been completed. Very special appreciation to Dr. A.L. Anderson (NORDA 320), Dr. J.A. Davis and Mr. R. Lauer (both with NORDA 321) for providing invaluable technical guidance, to LCDR A. Galus (NORDA 530) for providing funding support, to Mr. J. Schumacher (ODSI), Mr. G. Kerr and Mrs. C. Parker (both of NORDA 320) for providing the required support in the preparation of this report.

CONTENTS

Ι.	Introduction	1
II.	Approach Used in Study	3
III.	Comparisons	4
IV.	Summary of the Comparisons	6
٧.	Conclusions	10

I. INTRODUCTION

The SIMAS (Sonar In-situ Mode Assessment System) and ICAPS (Integrated Command Anti-submarine warfare Prediction System) programs address different system applications but are similar in that each has been developed for use as an "on-board" prediction system. It is known that SIMAS and ICAPS do not employ identical environmental data bases. The extent to which these data bases differ is being addressed in a separate study. The purpose of this particular study was to:

- compare predicted SIMAS and ICAPS vertical sound speed profiles with measured in-situ CTD (Continuous-Temperature-Depth) or STD (Salinity-Temperature-Depth) data.
- present, whenever possible, similarities or dissimilarities between the predicted SIMAS and the predicted ICAPS sound speed profiles with measured CTD and STD data.
- discuss the implications of these similarities and dissimilarities.
- compare the "goodness" of the predicted SIMAS and ICAPS to the "Assumed Oceanography".

Since this study was of limited scope it focused entirely on vertical sound speed profile comparisons. Reliable and processed CTD or STD data available at seventeen different geographic locations were used in this study as the "Assumed Oceanography". Figure 1 presents the geographical locations for the comparisons.

In an earlier study entitled, "Comparison of the ICAPS and SIMAS Historical Environmental Data Bases" by E. Hashimoto, NORDA 321, FY-79 APP Task II Report, dated 28 September 1979, the author compared predicted vertical sound speed profiles from the SIMAS and ICAPS environmental data bases using XBT (expendable bathythermograph) data as input. It also presented "significant" differences found between the two environmental data bases. That report, which presents the selection of appropriate SIMAS and ICAPS historical sound speed profile, is being published as a NORDA Technical Memo #66 titled, "Comparisons of Historical and in-situ Vertical Sound Speed Profiles from the SIMAS and ICAPS Environmental Data Bases".

In the present study, predicted SIMAS and ICAPS vertical sound speed profiles using CTD or STD temperature data as in-situ input are compared to sound speed profiles calculated using Wilson's equation.

Footnote: Comparison of bottom loss provinces and bottom loss versus grazing angle curves used by SIMAS and ICAPS were also conducted by the author. At 17 sites, ICAPS and SIMAS results were compared; bottom loss provinces were compared in the Mediterranean Sea. The results of this study are contained in NORDA Technical Note No. 71.

II. APPROACH USED IN STUDY

The approach used in this study was to obtain and establish a set of test case profiles using measured ocean environmental data with which the predicted SIMAS and ICAPS sound speed profiles could both be compared. The test case profile data are from reliable CTD and STD observations. The CTD and STD observations are considered in this study as being the "assumed" or real oceanography. CTD and STD test cases were selected so as to avoid biasing the results towards any given system. The selections were made on the reliability (author's confidence in the observations) and availability (accessible in appropriate format to impact this study) of CTD and STD data.

Both CTD and STD probes have an accurate temperature sensor. The STD also measures salinity. The values of temperature from both sensors are recorded during the observation period. The literature generally states that the relative accuracy of the CTD is approximately $\frac{1}{2}$ 0.005°C for temperature. The STD has a relative temperature accuracy of $\frac{1}{2}$ 0.02°C, and a relative salinity accuracy of $\frac{1}{2}$ 0.02 parts per thousand.

Identical values (measured) of temperature from either the CTD or STD were used as input data for SIMAS and ICAPS sound speed calculation and treated as if the values were those taken by in-situ XBTs. Vertical sound speed profiles were derived from each system. The SIMAS and ICAPS predicted sound speed profiles were plotted along with the computed sound speed profiles from either the CTD or STD observations. The intent for such plots was to illustrate the similarity between the predicted SIMAS or predicted ICAPS vertical sound speed profiles to "assumed oceanography".

The designations used and the locations of the in-situ test cases are tabulated in Table I. The sources for the CTD and STD test cases are identified in Table II.

III. COMPARISONS

In this section the results of the various comparisons are presented along with supporting information. In the simulated comparisons of predicted SIMAS and ICAPS sound speed profiles to "assumed oceanography", similarities and dissimilarities were found.

In some cases, similiarities and dissimilarities appear to be, more or less, consistent or reoccurring. In other cases, they appear unique in their occurrence. Presented, are the generalized similarities and major dissimilarities found when comparing the predicted SIMAS and ICAPS profiles with the assumed oceanography. The similarities and dissimilarities are indicated in the appropriate sections to follow.

- All temperature and salinity data from CTD and STD units were sent to the Naval Underwater Systems Center (NUSC), New London, CT and to the Naval Oceanographic Office (NOO), for SIMAS and ICAPS processing, respectively.
- Results were returned to NORDA where they were plotted.
- The accuracy and correctness of all plots were triple checked to eliminate possible errors which may have resulted from reading (interpreting) the data sheets, key punching, unit conversion, or from plotting of incorrect data files.
- All profiles were generated by personnel at NUSC (for SIMAS) and NOO (for ICAPS).
- All "on-board" input data into SIMAS and ICAPS were identical insitu temperature profiles recorded by the CTD and STD temperature sensors.
- Quantitative comparisons for similarity and/or dissimilarities in sound speeds were conducted for values:

SS, at the surface (Table III)

\$\$\overline{SS}\$, at the layer (SSL) (Table IV)

\$\overline{SS}\$, at 1000 feet (\$\overline{SS}\$1000) (Table V)

\$\overline{SS}\$, at the sound channel axis (SSCA) (Table VI)

Quantitative comparisons for similarity and or dissimilarities in depth
 (D) were conducted for values:

D, at the layer (in feet) (DLD) (Table VII)

D, at the depth of the sound channel axis (in feet) (DSCA) (Table VIII)

Figures 2 through 18 contain comparisons of vertical sound speed profiles which were predicted from the SIMAS (dashed lines), and ICAPS (dotted lines) environmental data bases, and measured by in-situ CTD/STD (both as solid lines) observations.

Tables (IX), (X), (XI), (XII), (XIII), and (XIV) present qualitative differences in predicted sound speeds at the surface, at the layer, at 1000 feet, at the channel axis, in the depth of the layer and the channel axis, respectively. Table (XV) contains the numerical values of sound speeds computed from CTD and STD sensors. Table (XVI) contains the numerical values of sound speed computed from SIMAS. Table (XVII) contains the numerical values of sound speed computed from ICAPS.

IV. SUMMARY OF THE COMPARISONS

As stated in the introduction, the purpose of this study was to compare the predicted SIMAS and ICAPS sound speed profiles with (actual) CTD or STD data (considered as the "assumed oceanography"), present similarities or dissimilarities, and to discuss any implication of such similarities or dissimilarities for certain test cases.

Tabulations of the quantitative differences for SS at the surface, at the layer, at 1000 feet, at the deep sound channel axis are presented on tables III through VIII. There were certain similarities and dissimilarities which appear more frequently than others. Tables IX through XIV are presented in an attempt to qualitatively simplify these similarities and dissimilarities. Comparisons for SIMAS, ICAPS and the "assumed oceanography" have been made of the values in sound speed (in ft/sec) at the surface, depth of the layer, at 1000 feet, and at the deep sound channel axis. Comparisons are made between the ICAPS and SIMAS predicted results with measured sound speeds from CTD or sound speed calculations using Wilson's equation from STD measurements. A brief summary of these tables (IX) through (XIV) are as follows:

For Sound Speed Profile Comparison In Sound Speeds

at the surface (17 test comparisons):

"none to slight" differences: ICAPS = 14 cases SIMAS = 2 cases

"1 f/s $< \overline{SS} < 7$ f/s" differences: ICAPS = 3 cases SIMAS = 7 cases

"7 f/s< \$\overline{SS}* <20 f/s" differences: ICAPS = 0 cases SIMAS = 6 cases

"20 f/s < \$\overline{SS**} < 40 f/s" ICAPS = 0 cases SIMAS = 2 cases at the layer, (SSL) (14 test case comparisons)

"none to slight" differences:

ICAPS = 14 cases SIMAS = 2 cases

"1 f/s < SSL f/s" differences:

ICAPS = 3 cases SIMAS = 7 cases

"7 f/s < SSL* <20 f/s" differences:

ICAPS = 0 cases SIMAS = 6 cases

"20 f/s < SSL** < 40 f/s" differences:

ICAPS = 0 cases SIMAS = 2 cases

in sound speeds at the channel axis out of 17 test cases:

"none to slight" differences:

ICAPS = 3 cases SIMAS = 0 cases

"1 f/s < SSCA < 3 f/s" differences:

ICAPS = 4 cases SIMAS = 2 cases

"3 f/s < SSCA* < 7 f/s" differences:

ICAPS = 2 cases SIMAS = 5 cases

"7 f/s <SSCA** < 12 f/s" differences:

ICAPS = 5 cases SIMAS = 4 cases

"12 f/s <SSCA*** <20 f/s" differences:

ICAPS = 0 cases SIMAS = 0 cases

"20 f/s < SSCA****" differences:

ICAPS = 0 cases SIMAS = 3 cases

in sound speeds at 1000 feet out of 17 test cases:

"none to slight" differences:

ICAPS = 10 cases SIMAS = 0 cases

"1 f/s < SS1000 < f/s" differences:

ICAPS = 5 cases SIMAS = 7 cases

"6 f/s <SS1000* < 12 f/s" differences:

ICAPS = 2 cases SIMAS = 3 cases

"12 f/s < SS1000** < 20 f/s" differences:

ICAPS = 0 cases SIMAS = 4 cases

"20 f/s < SS1000*** < 75 f/s" differences:

ICAPS = 0 cases SIMAS = 0 cases

"75 f/s < SS1000**** <100 f/s" différences:

ICAPS = 0 cases SIMAS = 2 cases

"100 f/s < SS1000***** differences:

ICAPS = 0 cases SIMAS = 1 case

In Depth

in the depth of the layer out of 17 cases:

"none to slight" differences:

ICAPS = 3 cases SIMAS = 3 cases

"2 feet < DLD < 30 feet" differences:

ICAPS = 9 cases SIMAS = 8 cases

"30 feet < DLD* < 90 feet" differences:

ICAPS = 3 cases SIMAS = 4 cases

"90 feet < DLD** <150 feet" differences:

ICAPS = 1 case SIMAS = 0 cases

"150 feet <DLD*** <250 feet" differences:

ICAPS = 1 case SIMAS = 0 cases

"250 feet < DLD****" differences:

ICAPS = 0 cases SIMAS = 2 cases

• in the depth of the primary sound channel axis, out of 14 test cases:

"less than 300 feet" differences:

ICAPS = 7 cases SIMAS = 6 cases

"300 feet < DSCA* < 600 feet" differences:

ICAPS = 3 cases SIMAS = 2 cases

"600 feet < DSCA** < 1200 feet" differences:

ICAPS = 4 cases SIMAS = 2 cases

"1200 feet < DSCA*** < 2000 feet" differences:

ICAPS = 0 cases SIMAS = 3 cases

"2000 feet < DSCA****" differences:

ICAPS = 0 cases SIMAS = 1 case

- ICAPS utilized the CTD/STD input temperature data above 1000 feet more than SIMAS.
- The "rejection" of in-situ temperature information in SIMAS is clearly too restrictive. The consequent use of archival information results in large discrepancies with CTD/STD results.

V. CONCLUSIONS

In the previous study (NORDA TN No. 66) which compared the predicted SIMAS and ICAPS Historical and INSITU vertical sound speed profiles as well as presented "significant" differences, there were no comparisons made with real INSITU measurements. In this study, this has been conducted to test for "goodness" and the results are presented.

Upon review of the comparison plots and the tables of similarities and dissimilarities, it is clear that ICAPS demonstrates a noteable superiority to SIMAS in its ability to predict measured sound speed from an "XBT" obtained from CTD or STD data. This does not imply, however, that ICAPS does not need improvement as will be discussed under recommendations.

The authors conclusions based on tables (III through VIII) and (IX through XIV) are as follows:

- "Assumed oceanography" was reproduced more closer by ICAPS.
- Sound speeds at the surface were reproduced more closer in the North Atlantic and North Pacific Oceans by ICAPS.

ICAPS reflects a significantly larger quantity (14 out of 17) of cases where the values of sound speeds at the surface agree ($\langle 1 \text{ f/s} \rangle$) closely with the CTD/STD observations than SIMAS (2 out of 17).

Where ICAPS has zero cases, SIMAS showed 8 out of 17 cases where the values of sound speed at the surface differ between either 7 to 20 f/s, or 20 to 40 f/s.

 Sound speeds at the layer were reproduced more closer in the North Atlantic, North Pacific and Indian Oceans by ICAPS.

ICAPS reflects a significantly larger quantity (14 out of 17) of cases where the values of sound speeds at the layer agree (<1 f/s) closely with the CTD/STD observations than SIMAS (2 out of 17).

Where ICAPS has zero cases, SIMAS showed 8 out of 17 cases where the values of sound speed at the layer differ between either 7 to 20 f/s, or 20 to 40 f/s.

 Sound speeds at 1000 feet were reproduced more closer in the North Atlantic Ocean by ICAPS.

ICAPS reflects a significantly larger quantity (10 out of 17) of cases where the values of sound speeds at 1000 feet agree ($\langle 1f/s \rangle$) closer with the CTD/STD observations than SIMAS (0 out of 17). SIMAS showed 7 cases to be greater than 12 f/s at 1000 feet of which 3 of this 7 are greater than 75 f/s. ICAPS on the other hand shows all of its values at 1000 feet not exceeding 12 f/s.

 Neither ICAPS nor SIMAS were impressive in their handling of sound speeds at the sound channel axis.

ICAPS showed that in 9 out of 17 cases, the values of sound speed at the axis were $\langle 7 \text{ f/s} \rangle$ and SIMAS showed 7 out of 17 were $\langle 7 \text{ f/s} \rangle$ SIMAS showed 3 cases to be $\langle 20 \text{ f/s} \rangle$ at the channel axis, and ICAPS had none.

 Neither ICAPS nor SIMAS were impressive in their handling of the depth of the layer.

ICAPS showed the depth of the layers to differ between 2 to 30 feet in 9 out of 17 cases and SIMAS shows the depth of the layers to differ between 2 to 30 feet in 8 out of 17 cases.

 Neither ICAPS nor SIMAS were impressive in their handling of the depth of the sound channel axis.

ICAPS showed the depth of the sound channel axis to differ between 0 - 300 feet in 7 out of 14 cases, and SIMAS showed it in 6 out of 14 cases. ICAPS showed the depth of the sound channel axis to differ by greater than 600 feet in 4 out of 14 cases and SIMAS showed it in 6 out of 14 cases.







FIGURE 1. Geographical locations of the sites for comparison


FIGURES 2-18


- Plots of derived SIMAS, derived ICAPS vertical sound speed profile comparisons with CTD or STD observations.























































TABLE (I) DESIGNATORS & LOCATIONS OF SELECTED SITES
FOR SIMAS, ICAPS AND CTD/STD COMPARISONS

North Pacific Ocea	Latitude	Longitude	Month
P01	43 ⁰ 00'N	158 ⁰ 02'W	(September)
P02	35 ⁰ 59'N	158 ⁰ 00'W	(October)
P03	27 ⁰ 20'N	154 ⁰ 01 ' E	(April)
P04	33 ⁰ 18'N	154 ⁰ 03'E	(April)
P05	36 ⁰ 40'N	154 ⁰ 00'E	(April)
P06	35 ⁰ 00'N	130 ⁰ 1.4'W	(March)
P07	35 ⁰ 00'N	137 ⁰ 59'W	(March)
P08	34 ⁰ 56.5'N	147 ⁰ 59.4'W	(March)
P09	35 ⁰ 12.2'N	147 ⁰ 0.3'E	(April)
P10	34 ⁰ 58.2'N	146 ⁰ 01'E	(April)
Indian Ocean			
101	4 ⁰ 49'N	053 ⁰ 02'E	(March)
North Atlantic Oc	ean		
A01	37 ⁰ 00'N	018 ⁰ 00'W	(February)
A02	36 ⁰ 00'N	019 ⁰ 00'W	(February)
A03	35 ⁰ 22.7'N	035 ⁰ 4.7'W	(June)
A04	35 ⁰ 12.4'N	054 ⁰ 59.0'W	(July)
	30 ⁰ 24.6'N	071 ⁰ 57.8'W	(September)
A05	30 ⁰ 25.6'N	071 071.0 W	(September)
406	3U 25.0 N	U/1 5/.0 W	(ach remnet)

TABLE (II)

Sources for the CTD and STD Test Cases

- I. Scripps Institute for Oceanography
 - a) <u>CTD</u> J. Reid and K. Kenyon P01, P02, P03, P04, P05
 - b) <u>STD</u> J. Reid and K. Kenyon P06, P07, P08, P09, P10
- II. Woods Hole Oceanographic Institute
 - a) CTD M. McCartney A05, A06
- III. Naval Ocean Research and Development Activity
 - a) CTD H. Perkins and D. Fenner AO1, AO2, IO1
 - IV. Naval Oceanographic Office
 - a) <u>CTD</u> LCDR L. Danzler A03, A04

TABLE III. Numerical values of \overline{SS} (in feet/sec) at the surface, and quantitative differences in \overline{SS} (in feet/sec) at the surface.

Point Identifier	Point Values of SS (in ft/sec) at the surface		Differences in at the surfac	SS (in ft/sec) e		
		SIMAS	ICAPS	Assumed Oceanography	SIMAS-Assumed Oceanography	ICAPS-Assumed Oceanography
A01	37 ⁰ 00'N 018 ⁰ 00'W	4965.95	4955.65	4955.65	10.00	not applicable
A02	36 ⁰ 00'W	4965.95	4953.68	4953.02	12.93	.66
E0A	35 ⁰ 22.7'N 035 ⁰ 4.7'W	5007.00	5008.14	5008.47	-1.47	-0.33
A04	35 ⁰ 12.4'N 054 ⁰ 59'W	5034.70	5036.03	5037.01	-2.31	-0.98
A03	30 ⁰ 24.6'N 071 ⁰ 57.8'W	5059.50	5059.65	5060.30	-0.80	-0.65
A06	30 ⁰ 25.6'N 071 ⁰ 57'W	5056.90	5057.35	5057.68	-0.78	-0.33
P01	43 ⁰ 00'N 158 ⁰ 02'W	4951.84	4954.34	4953.35	-1.51	0.99
P02	35 ⁰ 59'N 158 ⁰ 00'W	5014.93	5005.19	5002.89	12.04	2.30
P03	27 ⁰ 20'N 154 ⁰ 01'E	4994.43	4999.61	4998.63	-4.20	0.98
P04	33 ⁰ 18'N 154 ⁰ 03'E	4974.94	4945.15	4944.49	30.45	0.66
P05	36 ⁰ 40'N 154 ⁰ 00'E	4938.95	4953.35	4952.37	-13.42	.0.98
P06	35 ⁰ 00'N 130 ⁰ 1.4'W	4927.73	4929.40	4930.39	-2.66	-0.99
P07	35 ⁰ 00'N 137 ⁰ 59'W	4958.44	4949.41	4952.66	5.78	-3.25
P08	.34 ⁰ 56.5'N 147 ⁰ 59.4'W	4972.94	4983.54	4983.40	-10.46	0.14
P09 ·	35 ⁰ 12.2'N 147 ⁰ 0.3'E	4972.94	4979.27	4979.60	-6.66	-0.33
P10	34 ⁰ 58.2'N 146 ⁰ 01'E	4972.94	4940.55	4940.10	32.84	0.45
101	4 ⁰ 49'N 053 ⁰ 02'E	5047.40	5056.70	5055.05	-7.65	1.65

TABLE IV. Numerical values of \overline{SS} (in feet/sec at the layer, and quantitative differences in \overline{SS} (in feet/sec) at the layer.

Point Identifier	Point Location	Values o	of SS (in e laver	ft/sec)	Differences in at the layer	SS (in ft/sec)
		SIMAS	ICAPS	Assumed Oceanography	SIMAS-Assumed Oceanography	ICAPS-Assumed Oceanography
A01	37 ⁰ 00'N 018 ⁰ 00'W	4967.75	4959.91	4959.26	8.49	.65
A02	36 ⁰ 00'W	4965.95	4954.99	4954.66	11.29	.33
A03	35 ⁰ 22.7'N 035 ⁰ 4.7'W	5008.10	5009.13	5009.13	-1.03	0
A04	35 ⁰ 12.4'N 054 ⁰ 59'W	5035.90	5036.68	5037.01	-1.11	33
A05	30 ⁰ 24.6'N 071 ⁰ 57.8'W	5060.10	5059.65	5060.63	53	98
A06	30 ⁰ 25.6'N 071 ⁰ 57'W	5059.10	5060.30	5059 .98	88	.32
P01	43 ⁰ 00'N 158 ⁰ 02'W	4952.14	4954.34	4954.01	-1.87	.33
P02	35 ⁰ 59'N 158 ⁰ 00'W	5015.32	5005.52	5003.88	11.44	1.64
P03	27 ⁰ 20'N 154 ⁰ 01'E	4994.43	4999.61	4998.63	-4.20	.98
P04	33 ⁰ 18'N 154 ⁰ 03'E	4975.92	4945.48	4945.48	30.44	0
P05	36 ⁰ 40'N 154 ⁰ 00'E	4939.25	4953.35	4952.37	-13.12	98
P06	35 ⁰ 00'N 130 ⁰ 1.4'W	4930.02	4932.03	4932.85	-2.83	82
P07	35 ⁰ 00'N 137 ⁰ 59'N	4964.05	4958.93	4962.44	1.61	-3.51
P08	.34 ⁰ 56.5'N 147 ⁰ 59.4'W	4972.94	4984.19	4983.86	-10.92	.33
P09 ·	35 ⁰ 12.2'N 147 ⁰ 0.3'E	4972.94	4976.97	4979.83	-6.89	-2.86
P10	34 ⁰ 58.2'N 146 ⁰ 01'E	4973.04	4940.55	4940.59	32.45	04
101	4 ⁰ 49'N 053 ⁰ 02'E	5047.40	5056.70	5055.71	-8.31	.99

TABLE V. Numerical values of \overline{SS} (in feet/sec) at 1000 feet, and quantitative differences in \overline{SS} (in feet/sec) at 1000 feet.

Point Identifier	Point Location	Values of	of SS (in O feet	ft/sec)	Differences in 3 at 1000 feet	S (in ft/sec)
		SIMAS	ICAPS	Assumed Oceanography	SIMAS-Assumed Oceanography	ICAPS-Assumed Oceanography
A01	37 ⁰ 00'N 018 ⁰ 30'W	4945.94	4936.50	4936.62	9.32	-0.12
A02	019 ⁰ 00'W	4945.94	4936.49	4935.75	10.19	0.74
A03	35 ⁰ 22.7'N 035 ⁰ 4.7'W	4960.0	4944.12	4943.80	16.20	0.32
A04	35 ⁰ 12.4'N 054 ⁰ 59'W	4992.0	4993.96	4994.61	-2.61	-0.65
A05	30 ⁰ 24.6'N 071 ⁰ 57.8'W	4999.0	5000.40	5000.11	-1.11	0.29
A06	30 ⁰ 25.6'N 071 ⁰ 57'W	4999.0	5001.46	5001.10	-2.10	0.36
Poi	43 ⁰ 00'N 158 ⁰ 02'W	4856.93	4862.6	4862.38	-5.45	0.22
P02	35 ⁰ 59'N 158 ⁰ 00'W	4917.95	4901.28	4899.10	18.85	2.18
P03	27 ⁰ 20'N 154 ⁰ 01'E	4955.94	4959.81	4959.24	-3.30	0.57
P04	33 ⁰ 18'N 154 ⁰ 03'E	4971.20	ત્યકુષ્ય . હપ 4889.64	4886.54	84.66	3.10
P05	36 ⁰ 40'N 154 ⁰ 00'E	4886.95	4909.85	4906.91	-19.96	-2.94
P06	35 ⁰ 00'N 130 ⁰ 1.4'W	4864.93	4870.33	4871.22	-6.29	-0.89
P07	35 ⁰ 00'N 137 ⁰ 59'N	4889.93	4884.20	4884.96	4.97	-0.76
P08	.34 ⁰ 56.5'N 147 ⁰ 59.4'W	4969.62	4954.44	4953.18	16.44	1.26
P09 ·	35 ⁰ 12.2'N 147 ⁰ 0.3'E	4969.61	4873.60	4880.59	89.02	-6.99
P10	34 ⁰ 58.2'N 146 ⁰ 01'E	4969.73	4856.26	4853.29	116.44	2.97
101	4 ⁰ 49'N 053 ⁰ 02'E	4928.0	4937.12	4929.55	-1.55	7.57

TABLE VI. Numerical values of \overline{SS} (in feet/sec) at the channel axis, quantitative differences in \overline{SS} (in feet/sec) at the channel axis.

Point Identifier	Point Location		of SS (in e channel		Differences in at the channe	
		SIMAS	ICAPS	Assumed Oceanography	SIMAS-Assumed Oceanography	ICAPS-Assumed Oceanography
A01	37 ⁰ 00'N 018 ⁰ 00'W	4926.94	4924.15	4917.92	9.02	6.23
A02	36 ⁰ 00'N 019 ⁰ 00'W	4926.94	4924.15	4916.28	10.66	7.87
£03	35 ⁰ 22.7'N 035 ⁰ 4.7'W	4915.00	4902.83	not applicable	not applicable	not applicable
A04	35 ⁰ 12.4'N 054 ⁰ 59'W	4888.00	4888.39	not applicable	not applicable	not applicable
A05	30 ⁰ 24.6'N 071 ⁰ 57.8'W	4891.00	4899.55	4895,94	-4.94	3.61
A06	30 ⁰ 25.6'N 071 ⁰ 57'W	4891.00	4899.22	4896.92	-5.92	2.30
P01	43 ⁰ 00'N 158 ⁰ 02'W	not	applica	Þ1 e	not applicable	not applicable
P02	35 ⁰ 59'N 158°00'W	4853.95	4861.49	4849.68	4.27	11.81
P03	27 ⁰ 20'N 154 ⁰ 01'E	4861.95	4859.52	4856.89	5.06	2.63
P04	33 ⁰ 18'N 154 ⁰ 03'E	4864.93	4844.43	4844.76	20.17	33
P05	36 ⁰ 40'N 154 ⁰ 00'E	4847.94	4853.29	4851.32	-3.38	1.97
P06	35 ⁰ 00'N 130 ⁰ 1.4'W	4851.94	4853.61	4854.34	-2.40	73
P07	35 ⁰ 00'N 137 ⁰ 59'W	4849.94	4857.88	4848.82	1.12	9.06
P08	.34 ⁰ 56.5'N 147 ⁰ 59.4'W	4864.93	4845.09	4855.98	8.95	-10.89
P09 ·	35 ⁰ 12.2'N 147 ⁰ 0.3'E	4864.93	4840.82	4838.43	26.50	2.39
P10	34 ⁰ 58.2'N 146 ⁰ 01'E	4864.93	4835.24	4835.31	29.62	07
101	4 ⁰ 49'N 053 ⁰ 02'E	4902.00	4905.78	4894.30	7.70	11.48

TABLE VII. Numerical values of layer depth (in feet), quantitative differences in the depths of the layer (in feet).

Point Identifier	Point Location	Values (in ft.)	of the la	yer depth :	Differences in (in ft)	layer depth
		SIMAS	ICAPS	Assumed Oceanography	SIMAS-Assumed Oceanography	ICAPS-Assumed Oceanography
A01	37 ⁰ 00'N 018 ⁰ 00'W	108.30	337.92	367.45	-259.15	-29.53
A02	36 ⁰ 00'W	0	154.20	387.13	-387.13	-232.93
A03	35 ⁰ 22.7'N 035 ⁰ 4.7'W	65.90	65.62	65.62	.28	0
A04	35 ⁰ 12.4'N 054 ⁰ 59'W	24.6	36.09	0	24.60	36.09
AG5	30 ⁰ 24.6'N 071 ⁰ 57.8'W	36.10	65.62	32.81	3.29	32.81
A06	30 ⁰ 25.6'N 071 ⁰ 57'W	88.60	88.58	88.58	.02	0
Poi	43 ⁰ 00'N 158 ⁰ 02'W	78.71	0	88.58	-9.87	-88.58
P02	35 ⁰ 59'N ~ 158 ⁰ 00'W	78.71	127.95	98.42	-19.71	29.53
P03	27 ⁰ 20'N 154 ⁰ 01'E	0.0	0.0	0.0	0	o
P04	33 ⁰ 18'N 154 ⁰ 03'E	59.09	78.74	49.21	9.88	29.53
P05	36 ⁰ 40'N 154 ⁰ 00'E	19.68	0.0	98.42	-78.74	-98.42
P06	35 ⁰ 00'N 130 ⁰ 1.4'W	205.71	206.69	. 225.57	-19.86	-18.88
P0 7	35 ⁰ 00'N 137 ⁰ 59'W	401.90	367.45	368.11	33.79	66
P08	.34 ⁰ 56.5'N 147 ⁰ 59.4'W	2.0	36.09	37.73	-35.73	-1.64
F0 9	35 ⁰ 12.2'N 147 ⁰ 0.3'E	0	36.09	13.12	-13.12	22.97
P10	34 ⁰ 58.2'N 146 ⁰ 01'E	70.90	68.90	39.37	31.53	29.53
101	4 ⁰ 49'N 053 ⁰ 02'E	0	0	9.84	-9.84	-9 . 84

TABLE VIII. Numerical values of the channel axis depth (in feet), quantitative differences in the depths of the channel axis (in feet).

Point Identifier	Point Location	Values of (in ft)	f the cha)	nnel axisdepth	Differences in axis (in ft) do	the channel epth
, dentition		SIMAS	ICAPS	Assumed Oceanography	SIMAS-Assumed Oceanography	ICAPS-Assumed Oceanography
A91	37 ⁰ 00'N 018 ⁰ 00'W	6999.91	6561.60	5721.71	438.31	839.89
A02	36 ⁰ 00'W	6999.91	6561.60	5600.32	1399.58	961.28
A03	35 ⁰ 22.7'N 035 ⁰ 4.7'W	5000.00	4429.08	not applicable	not applicable	not applicable
A04	35 ⁰ 12.4'N 054 ⁰ 59'W	4000.00	3936.96	not applicable	not applicable	not applicable
A05	30 ⁰ 24.6'N 071 ⁰ 57.8'W	4500.00	3936.96	4268.32	231.68	-331.36
A06	30 ⁰ 25.6'N 071 ⁰ 57'W	4500.00	3936.96	4248.64	251.36	-311.68
.P01	43 ⁰ 00'N 158 ⁰ 02'W	not	applicab	1e	not applicable	not applicable
P02	35 ⁰ 59'N 158 ⁰ 00'W	2749.97	2624.64	2618.08	131.89	6.56
P03	27 ⁰ 20'N 154 ⁰ 01'E	3499.96	3280.80	3257.83	242.13	22.97
204	33 ⁰ 18'N 154 ⁰ 03'E	3999.95	2624.64	2145.64	1854.31	479.00
205	36 ⁰ 40'N 154 ⁰ 00'E	2499.97	2624.64	2627.92	~127.95	3.28
205	35 ⁰ 00'N 130 ⁰ 1.4'W	2374.97	1968.48	. 2059.36	315.61	-90.88
207	35 ⁰ 00'N 137 ⁰ 59'N	2249.97	1968.48	2060.01	189.96	-91.53
P08	.34 ⁰ 56.5'N 147 ⁰ 59.4'W	3999.95	3280.80	3058 .03	941.92	941.92
F09	35 ⁰ 12.2'N 147 ⁰ 0.3'E	3999.95	1968.48	2089.87	1910.08	-121.39
P10	34 ⁰ 58.2'N 146 ⁰ 01'E	3999.95	1968.48	1712,91	2287.04	255.57
101	4 ⁰ 49'N 053 ⁰ 02'E	5000.00	4921.20	5800.78	800.78	-879.58

Qualitative Differences in SS at the surface

LEGEND: slight < $\frac{1}{3}$ f/s 1 f/s < $\frac{5}{5}$ < $\frac{7}{5}$ f/s 7 f/s < $\frac{5}{5}$ * < 20 f/s 20 f/s < $\frac{5}{5}$ * < 40 f/s

	Differences the surfa	
SITE (ID)	SIMAS	ICAPS
A01	SS*	none
A02	\$\$*	slight
A03	53	slight
A04	<u>5</u> \$	slight
A05	slight	slight
A06	· slight	slight
P01	ss	slight
P02	53*	<u>5</u> 5
P03	SS	slight
P04	55**	slight
P05	55*	slight
P06	SS	slight
P07	33	SS
P08	55*	slight
P09	SS	slight
P10	SS**	slight
101	<u>\$\$</u> *	SS

Qualitative Differences in SS at the layer

LEGEND: slight < 1 f/s 1 f/s < SSL < 7 f/s 7 f/s < SSL* < 20 f/s 20 f/s < SSL** < 40 f/s

	Differences the layer	
SITE (ID)	SIMAS	ICAPS
A01	SSL*	slight
A02	SSL*	slight
A03	SSL	none
A04	SSL	slight
A05	slight	slight
A06	.slight	slight
P01	SSL	slight
P02	SSL*	SSL
P03	SSL	slight
P04	SSL**	none
P05	SSL*	slight
P06	SSL	slight
P07	SSL	SSL
P08	SSL*	slight
P09	SSL	SSL
P10	SSL**	slight
101	SSL*	slight

Qualitative Differences in SS at 1000 feet

1	Differences in SS at the 1000 feet			
SITE (ID)	SIMAS	ICAPS		
A01	SS1000*	slight		
A02	SS1000*	slight		
A03	SS1000**	slight		
A04	SS1000	slight		
A05	SS100 0	slight		
A06	· SS1000	slight		
P01	SS1000	slight		
P02	SS1000**	SS1000		
P03	SS1000	slight		
P04	SS1000****	S\$1000		
P05	SS1000**	SS1000		
P06	SS1000*	slight		
P07	SS1000	slight		
208	SS1000**	SS1000		
P09	SS1000***	SS1000*		
P10	SS1000***	ss1000*		
101	55/000	551000 ¥		

LEGEND:	slight < 1 f/s
	1 f/s < SS1000 < 6 f/s
	$6 \text{ f/s} < \text{SS}1000^{\circ} < 12 \text{ f/s}$
	12 f/s < SS1000** < 20 f/s
	20 f/s $<$ SS1000*** $<$ 75 f/s
	75 f/s < SS1000**** < 100 f/s
-	l00 f/s < SS1000*****

Qualitative Differences in SS at the channel axis

	Differences	s in SS at
	the chann	rel axis
SITE (ID)	SIMAS	ICAPS
A01	SSCA**	SSCA**
A02	SSCA**	SSCA**
A03		
A04		
A05	SSCA*	SSCA*
A06	· SSCA*	SSCA*
P01		
P02	SSCA*	SSCA**
P03	SSCA*	SSCA
P04	SSCA***	slight
P05	SSCA*	SSCA
P06	SSCA	slight
P07	SSCA	SSCA**
1908	SSCA**	SSCA**
P09	SSCA***	SSCA
P10	SSCA***	slight
101	SSCA**	SSCA**

LEGEND: _ _ = no comparison made slight < 1 f/s 1 f/s < SSCA < 3 f/s 3 f/s < SSCA* < 7 f/s 7 f/s < SSCA** < 12 f/s

12 f/s < SSCA*** < 20 f/s

20 f/s < SSCA****

Qualitative Differences in SS at the layer depth

LEGEND: slight< 2 ft
 2 ft< DLD< 30 ft
 30 ft< DLD*< '90 ft
 90 ft< DLD**< '150 ft
 150 ft< DLD***< '250 ft
 250 ft< DLD****

Differences	in	layer	depth
(in feet)		•	

	(in feet	;)
SITE (ID)	SAMIS	ICAPS
A01	DLD****	DLD
A02	DLD****	DLD***
A03	slight	none
A04	DLD	DLD*
A05	DLD	DLD*
A06	slight	none
P01	DLD	DLD*
P02	DLD	DLD
P03	none	none
P04	DLD	DLD
P05	DLD*	DLD**
P06	DLD	DLD
P07	DLD*	DLD
F08	DLD*	DLD
P09	DLD	DLD
P10	DLD*	DLD
101	DLD	DLD

Qualitative Differences in the depth of the channel axis

LEGEND:

---= no comparisons made

0 ft < DSCA < 300 ft

300 ft < DSCA* < 600 ft 600 ft < DSCA** < 1200 ft 1200 ft < DSCA** < 2000 ft

2000 ft < DSCA****

Differences in the depth of sound channel axis (in feet)

	depth of	sound chann
SITE (ID)	SIMAS	ICAPS
A01	DSCA*	DSCA**
A02	DSCA***	DSCA**
A03		
A04		
A.05	DSCA	DSCA*
A06	- DSCA	DSCA**
P01		
P02	DSCA	DSCA
P03	DSCA	DSCA
P04	DSCA***	DSCA*
P05	DSCA	DSCA
P06	DSCA*	DSCA
P07	DSCA	DSCA
809	DSCA**	DSCA**
P09	DSCA***	DSCA
P10	DSCA****	DSCA
101	DSCA**	DSCA**

TABLE (XV). Numerical values of sound speeds (in feet/sec) for "assumed oceanography" profiles

ATLANTIC OCEAN

	68 78					Ġ	M	~	Ó	Ö	Θ	∞					α	0	O	9	Ø	
	4958	9.0	6	93	93	934	93	931	935	93	937	942	94	94	95	98	942	93	917	936	038	
	374.01	29.7	98.6	85.6	30.02	54.7	092.5	446.8	185.0	378.5	726.3	818.2	916.6	867.5	129.8	625.2	432.3	19.5	721.7	202.0	763.6	
	4959.26 4054 01	948.1	942.2	940.2	938.5	935.3	932.0	933.3	937.6	936.6	938.2	940.5	945.4	943.1	948.4	954.6	946.1	933.3	920.5	921.2	010.7	
	367.45	23.2	79.B	46.3	10.3	02.2	059.7	407.4	116.1	316.2	683.6	782.1	887.1	995.3	077.3	366.1	205.9	94.8	337.8	561.6	123.2	
	4957.29 4055.08		943.5	939.5	941.5	935.3	934.9	934.6	934.6	938.2	935.3	938.5	942.2	941.2	946.7	951.3	949.4	936.6	923.5	919.5	984.1	071.1
	209.97	- 20	52.7	80.7	00.5	69.4	026.8	263.1	886.4	309.6	644.3	772.2	877.2	949.4	074	205.3	081.3	563.5	173.8	440.2	1482.8	40.2
	4955.65	7.7.0 05.1.0	0.40 0.00	941.2	937.9	938,2	936.6	933.3	933 0	938 9	938.2	936.9	941.2	943.8	945	948 4	952 7	636	926.7	919.2	958.9	8.990
A 01	0.00	אמ	45.5 46.4	44.0	38.1	53.0	000	187 6	614.0	263 7	536 0	729 6	847.7	9 929	878	100°	000	488	8 9 9 9	184.3	842.4	04.0

ATLANTIC OCEAN

	5006.17 4965.49 4953.68 4943.84 4924.32 4925.14		5024.87 4995.02 4995.02 4986.49 4959.75 4952.37 4917.92
	88.58 200.13 508.52 997.36 1601.03 2109.55 2828.05		72.18 177.16 1826.89 1512.45 1899.58 2237.51 2528.22 2765.71
	5009.13 4970.74 4957.29 4948.10 4935.64 4928.42		5031.43 4998.95 4991.41 4974.68 4957.62 4929.90 4921.53
	65.62 177.16 341.20 912.06 1430.43 1899.58 2447.48		52.49 147.64 790.67 1414.02 1801.16 2139.08 2431.07 2719.78
â	5008.47 4977.30 4957.95 4952.04 4919.25 4919.56		5037.01 5004.86 4988.13 4995.34 4978.61 4960.80 4943.18
	42.65 131.23 272.31 744.74 1213.90 1856.93 2326.09 3038.02		36.89 121.39 398.42 1312.32 1786.82 2893.15 2893.15 2878.57
52	5008.47 4986.82 4960.24 4951.71 4940.88 4922.18 4916.28	4	5037.01 5012.08 4989.77 4987.64 4982.88 4966.47 4948.43
A 03	108 27 249 34 705 37 1174 53 1728 98 2283 44 2956 00	A 04	0.00 95.14 246.06 1259.83 1610.87 1994.73 2283.44 2621.36

	4 4 4 4 6 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8		00 00 00 00 00 00 00 00 00 00 00 00 00
	44444444444444444444444444444444444444		44444444444444 00000000000000000000000
	742888888888747888888888888888888888888		4 8 7 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
	22467 22467 22467 22467 22627 26537 26537 26537		150 20 20 20 20 20 20 20 20 20 20 20 20 20
	02.02-08.02-09.02 02.02-08.02-09.02 02.02-09.02		91-448800 100-448800 100-448800 100-44800
	\$4444444444444444444444444444444444444		00444444444444444444444444444444444444
	47.8 87.2 88.0 80.0 80.0 80.0 80.0 80.0 80.0 80		0087-4777 4-84-88888807889
	98 33 33 33 33 33 34 35 35 35 36 36 36 36 36 36 36 36 36 36 36 36 36		
	27.8.0.2.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0		
	4444444444 000000000000000000000000000		84444444444444444444444444444444444444
	00004000000000000000000000000000000000		4-R07000007-07007 008074-0700000
	8200 8200 8200 8200 8200 8200 8200 8200		20122 20122 20122 20122 20124
	28420000-8481 2720000-8481 00000-84000		84 W W V V O C C C C C C C C C C C C C C C C C
	444444444 0000000000000000000000000000		24444444444444444444444444444444444444
11	2-40480000000 2-8080804-827	2	20000000000000000000000000000000000000
PO	100 100 100 100 100 100 100 100 100 100	PO	100 100 100 100 100 100 100 100 100 100

Ħ

Ħ

ᲡᲡᲘᲢᲘᲢᲡ+ᲡᲬᲡ−Წ ᲛᲘ4ᲡᲡᲗᲐᲓᲡᲡᲢᲔᲜ	
744 94 94 94 94 94 94 94 94 94 94 94 94 9	44444444444 00000000000000000000000000
VX-000000000000000000000000000000000000	87-82-7-7-8-8-7-8-8-7-8-8-7-7-8-8-7-7-8-8-7-7-8-8-7-7-8-8-7-7-8-8-7-8
137. 236. 866. 1387. 1555. 1692. 1828. 2866. 2312. 2657.	12884-7-7-7-7-7-7-7-7-7-7-7-7-7-7-7-7-7-7-
QX+QXQX\C\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	22 22 22 22 22 23 24 25 25 26 26 27 27 26 27 27 27 27 27 27 27 27 27 27 27 27 27
44444444444444444444444444444444444444	444444444 0000000000000000000000000000
488-27-84-27 5200724-27-827	7-80004-80 7-80004-0 7-80000000000000000000000000000000000
4 828 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	108 305 305 108 108 108 108 40 108 40 108 40 108 40 108 40 108 40 40 40 40 40 40 40 40 40 40 40 40 40
######################################	#0-04W\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	44444444444 00000000000000000000000000
2-8-022222 -02222 -0222	75550 7550 7550 7550 7550 7550 7550 755
224 225 225 225 225 225 225 225 225 225	275 4622 6649 7777 1249 1249 1889 2273 4921 4921
\$22862878788884 \$2288888884 \$228888888888888888888	4000-0-X20V4X4 000X0XX0
44444444466666666666666666666666666666	44444444444444444444444444444444444444
04808-0400-050 0804505010705	4 000 000 000 000 000 000 000 000 000 0
2227 2224 2224 2239 2227 2227 2227 2227 2227 2227 2227	P04 216 413 620 620 1230 1230 1277 1271 1277 1277 1377 1377 1487 4852

n

H

	4852.32 4852.37 4948.43 4954.43 49523.37 4867.61 4867.61 48651.32 48652.36 48652.36 48652.36 48652.36 48652.36 48652.36		44925 49925
	98.42 424.48 424.22 561.02 679.13 807.08 974.40 1151.56 1538.57 1801.16 2755.87 2755.87 2755.87		255.57 317.81 469.15 568.59 631.83 843.49 1483.78 1483.78 2336.78 2336.78 3714.85 3714.85 3714.85 3714.85 3714.85
	4952 4994837 4994837 4994837 4994837 49954 49854 48852 48852 48851 664 48551 664 664 664 664 664 664 664 664 664 66		4932.22 4916.43 4916.43 4908.31 4887.32 4887.03 4887.34 4851.35 4851.35 4851.35 4851.35 4851.35 4851.35 4851.35 4851.35 4851.35 4851.35 4851.35 4851.35 4851.35
	68.92 314.96 413.38 521.36 529.76 767.71 944.87 1282.66 1279.51 1751.95 2362.18 25696.82 3169.25 4358.34		171.59 303.47 452.42 549.53 615.48 615.48 615.75 324.75 1713.89 2173.20 2829.36 3502.25 4992.07 6438.57 15755.05
	4951.71 4949.89 4949.89 4949.77 496.89 496.89 496.89 4867.87 4852.85 4852.35 4852.35 4852.35 4852.35 4852.35		4449281 49281 49281 49281 49281 48891 48873 48853 48853 48854 48857
	49.21 265.74 393.70 492.12 618.23 748.82 915.34 1238.38 1782.74 1919.27 2627.92 4835.38		288.022 424.05 5534.11 5534.73 665.67 761.57 105.15 2556.39 4076.39 5521.26 4775.47 6323.09
	4444895222222222222222222222222222222222		449930 49930 49930 49930 72 49900 72 4880 72 4850 72 4850 73 4850 73 4850 73 4850 73 4850 73 4850 73 4850 73 4850 73 73 73 73 73 73 73 74 74 75 75 75 75 75 76 76 76 76 76 76 76 76 76 76 76 76 76
P05	22.0 22.0 22.0 22.0 23.2 23.2 23.0 23.0	90d	271.65 481.98 481.98 583.26 548.61 877.29 1582.61 5581.94 5173.85 5328.75 8283.93 6188.85 6188.85

271.32																			
4955.55	٠i	∽.	2	_	۸.	٠.	٠.,	'n			α.	·-	•	~.				٠.	
171.26										731.	220.	394,	580.	404	159.		218	32.	
1954.34	4861.16	4957.29	4931.99	4921.36	4903.32	4897.38	4888.29	4878.06	4868.54	4857.22	4848.82	4854.83	4859.88	4866.57	4872.81	4881.54	4891.84	4988.13	4
91.53	12.75	417.97	484.57	549.53	614.82	729.88	942.90	1157.14	1386.14	. 1617.11	2060.01	2845.77	3504.88	4240.43	4947.12	5765.68	6555.04	12525.44	17066.05
4952.66	4958.40	4959.49	4934.98	4924.45	4905.84	4898.92	4890.59	4880.75	4871.63	4859.91	4850.17	4852.66	4858.08	4864.61	4871.04	4879.57	4888.92	4970.08	5058.40
00.00	505.15	401.90	467.19	533.46	598.75	682.41	910.42	1091.52	1337.58	1548.87	1911.39	2618.41	3323.78	4043.26	4746.99	5568.50	6337.85	11490.67	16412.86

4956.73 4961.26 4941.11 4927.23 4989.34 4883.71 4862.61 4852.20 4851.05 4856.11 4869.30 4877.73 4869.30 4877.73

R

44444444444444444444444444444444444444	2000
72.51 434.53 434.71 748.71 1240.80 1370.72 1550.18 1615.14 1615.14 1928.13 2056.90 3682.37 4338.86	589.7 589.3 589.3 191.9
4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	377.4 386.7 342.4 357.6
1253 127 127 127 127 127 127 127 127 127 127	324.0 324.0 350.0 412.5
49983 49983 49983 49983 49983 49983 49983 49983 49893 49893 49893 49893 4985 4985 4985 4985 4985 4985 4985 4985	375.1 384.4 316.1 327.9
25.7.2 25.3.93 25.3.93 828.48 1285.84 1285.84 1285.84 1713.28 1713.23 1718.85	348.4 362.5 211.5 773.1
4 4 9 9 8 3 5 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	382.28 382.2 391.5 302.7
88.91 169.95 581.69 794.94 1273.28 1273.28 1273.28 1567.24 1567.24 1567.24 1976.68 2225.74 2715.52 3838.66	758.7 898.7 854.3 861.0

	.17	88	45	2	86	0	63	34	7	34	233	29	72	-	9	<u>-</u>	22	67	02	03	03	5	4 (71	95	201	95	10))))	9
	77.	ഠത	3	1	_	3	3	9	/	$^{\circ}$	ဖ	\Box	S	-	$^{\circ}$	2		\Box		$\boldsymbol{\mathcal{Q}}$	0	₹) (ر	4.	-	,	L	U C	$\mathfrak{D} \mathfrak{C}$	מ
	4 4	ກ່ຽວ	9	S	9	9	9	\mathbf{O}	α	$\boldsymbol{\omega}$	$^{\circ}$	ω	∞	∞	α	∞	∞	∞	$_{\infty}$	ω	ω	∞	∞	∞	∞	∞	∞	J) (C	J) -	-
	93	98	4	Ø	ω	1	α		α		0	0	9	9	9	2	2	1	3	S	S		_	- 1	/	\sim 1	N) (BO	S L	n
	87.	V N	m	۱n	\mathbf{G}	/	/	CD	4-	\sim	α	0	3	ເທ	0	6	Θ	LO	-	4	~	4	0	/	0	-	4- 1	50	\mathcal{O}	ת
	•	- (M	4-	4-	ហ	Q	7	Ō	Ö	$^{\circ}$	$\mathcal{C}_{\mathcal{I}}$	М	4	S	ഗ	Ω	~	∞	O	$\boldsymbol{\omega}$	-	\mathbf{o}	Ω	M		O^{-1}	\mathcal{N}	50	
																													_ `	
	(O)	204	N	α	_	4-	~	~	/	0	3	9	N	2	2	4	0	0	/	4	α	S		ഗ	Θ	$^{\odot}$	M	α	10	\
	77	0 0 0	55	49	36	24	5	88	99	9	4	29	36	30	43	67	48	63	47	40	4-	40	9	22	59	68	79	96	000	æ
	9.4	D Q	4	40	4	4. D	49	40	40	4	40	4	4.	4	48	4.	48	4-8	48	48	48	4	40	40	48	4.	4	4	4 [5
										_	_			_				~		_	~							-		
	01	. N.	Ø	M	ω	3	М.	ω.	Ŋ	0	Ö,		ω.	9	Ŋ.	2	Ψ,	ω.	2	3	7.	5.	0	σ.	0	σ.	ω.	٧.	0	Ö
	M	159	S	-	œ	\odot	4	Õ	Ó	~	M	M	-	-	\otimes	ம	-	•-	0	-	$_{0}$	2	9	0	0	1	9	S	ထ၊	S
		- (\	1147	•	•	0,	w		w	w																			1	
	κ.	پ د	ım		\ 			10		(0	_		m			· M	_	**	7	5	m	₹+-	_	7	_	7	Ο.	8	7	
	8	אָס	200	O.	ហ	/		Ō	ω	4	М	0	Θ	7	M	-	ω	ហ	-	0	Θ.	М.	rv.	2	2	ω.	\sim	0	. 7	ω.
	1	969	S LC	S)	2	2		\Diamond	0	0	S) NO	M	M	4	9	4	C	U.	M	4	3	4	ம	S	9	1	α	9	ഗ
		4																												
	à	אמ) /	. ^	د	· _	. 4	М.	M) LC) 4	٠ ر	ı	. 4	- v	٥ ۸	1	· œ	្រ	ത		7	\sim	7	M.	ω	2		2	က
	•	<u> </u>	- ហ		iα	4	. ^	14		. C	(C		α	ந	0		4	2	α	ω.	_	2	1	Ŋ	(C	0	0	-	8	
	-	122	V	- O	n co	N) NO) 5	. 0	ıυ	00	Jα	05	0.5	(C	N	σ	α	10	· 00	1	0	0	M	4	α	∞	Ø	0	-
													• •			-				•		^	10	11	4	4	Ŋ	Q	-	16
		ഗ ര																												
	•	W 4	٠	•	•		•	•	•	•	•	•	•	•	•	•	٠	•	•	•	•	•	•	•	•	•			•	. •
	97	97		ם מכ	D C	200	200	90	- 15 0 C	2 0	η (() 0	900	o o o) a) K	ე (<u>c</u>	ς Σ	ງຜູ	o u	360	200	83	α 7.4	S. C.	α N	88	87	88	94	02
	4	4- 4	₹ ₹	- 4	L 4	- પ	- 4	- 4	- 4	- 4	- 4	- 4	7	- 4	4	- 4	- 4	- 4	- 4	4	. 4	4	4	4	4	4	4	4	4	ហ
	Ø	ω (۸L	<u> </u>	2 4	- N	υČ	V C	מ מ	y -	- L	ŭĻ	ح -	3 L	۵ م	۳ ر	ر د د	J a	o บ) L		7	, L	2	α	ی د	2	-	2	4
60		7.7		•	٠	•		•	•	٠	•	٠	٠	•		•	•	٠	٠	•	•	•	•	•	•	•	•			•
d	_	000	5 C	0 0	ם מ	0 -			- 0	D 5	ת מ	10).c	200	0 4	ր - -	– a	ວ ແ ນ ດ	2 C	ς α	90	38	427	50	i a	S C	300	200	84	77
																					٠.	- n	10	IN	710) 4	- ហ	9	9	4

Ħ

I · Ø1

56

R

TABLE (XVI). Numerical values of sound speeds (in feet/sec) for SIMAS profiles.

ATLANTIC OCEAN

953.94 931.93 931.93 945.94 926.94	945.94 933.93 942.93 948.93	996. 88 955. 88 936. 88 926. 88 915. 88	988.58 992.00 973.00 909.00 891.00
699.99 749.98 749.97 899.95 401.20 5	9999 9999 9999 9999 999 899 999 4444	250.00 250.00 250.00 250.00 250.00 44	2009 2009 2009 2009 2009 2009 2009 2009
4935.93 4935.93 1938.95 24939.93 34928.94 5843.93	4953.94 4931.93 4945.94 4945.94 8089.24	5002.00 4960.00 4939.00 4928.00 4917.00	52088.38 49991.88 49953.08 4983.08 4888.08 5102.98
4499.99 4499.98 4499.98 45999.97 8999.96 82	699.99 1749.98 2749.97 3999.95 6999.91 7718.28	288.88 1886.88 2886.88 3886.88 4588.88	95.58 987.38 1758.08 2758.08 4008.08 7008.08 8534.68
4967.75 4929.93 4926.93 4936.95 4936.95 4994.95	4961.95 4935.93 4930.93 4939.93 4928.94 5043.93	5008.10 4970.00 4942.00 4930.00 4920.00	\$883.988 49988.988 4992.088 49948.889 4993.088 5844.889
108.30 1249.98 2249.97 3249.96 4999.96	449.99 1499.98 2499.97 3499.96 5999.93	65.90 750.00 1750.00 2750.00 4000.00 7081.80	24.60 752.30 1500.00 2500.00 3500.00 6000.00
4965.95 4945.94 4929.93 4942.93 4948.96	4965.95 4939.93 4929.93 4936.95 4936.95	5007.00 4982.00 4947.00 4953.00 4924.00 4918.00	58334 49935.78 49958.88 49958.88 49958.88 49958.88 4995.88
4 01 0.00 999.99 1999.98 2999.96 4499.95 8989.89	4 02 0 00 1249 98 2249 97 3249 96 4999 94 1999 85	403 8.88 588 88 1588 88 2588 88 3588 88 6888.88	498 10 498 10 2250 60 3250 60 5000 60 5000 60
T	# T	x	п

ATLANTIC OCEAN

A 05	2225 2225 2225 2225 2225 2225 2225 222	A 06		- (7	2	\sim	1200
	88888888888888888888888888888888888888		90	10	Ø	0	00.00
	5059.50 4998.00 5000.00 4911.00 4896.00 4895.00		56.	0000.0	970.0	911.0	888. B
	36.18 738.28 1588.88 2588.88 3588.88 5588.88		88.60	500.0	500.0		6
	5060 10 4997 40 4998 00 4953 00 4902 00 4908 00 5044 00		5059.10	998.0	953.0	902.0	044.0
	196.98 1888.88 1758.88 2758.88 4889.88 7889.88		164.00	750.	750.	900	71.
	5021.20 4999.00 4994.00 4937.00 4892.00 4921.00 5105.20		5832.58	994.	937.	892.	1.05.
	344.50 1200.80 2000.00 3000.00 4500.00 9000.00		344.50	00	000	200 8	900
	5001.90 5000.30 4985.00 4922.00 4891.00 4949.00		5003.30	985.	922.	891.	943 9

r	r	u	n
P01 0 0 1499 9 2499 9 3999 9 5999 9	24 99 99 99 99 99 99 99 99 99 99 99 99 99	703 22249 32249 10999	77
23678988 2367898	88 80 80 80 80 80 80 80 80	888 888 888 888 888 888 888 888 888 88	MODODD MODDDD
49872.9 48843.9 48843.9 48852.9 50382.9	24 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	4444 9999 9888 4489 4489 4489 4489 4489	444442 098889 788889 48889 7888 7888 7888
<u>ፋፋፋፋጀኒኒ</u>	#####################################	#700000 0 %%0%%%#	400004 400004
78.71 748.69 1749.98 2749.97 3999.95 6999.91	78.71 499.99 1749.98 2749.97 3999.95 6999.91	98.39 748.09 1499.98 2499.97 3499.85 5899.83	1999.08 2999.08 4999.98 8999.98
4952.14 4866.84 4841.93 4857.95 4898.96 5083.04	5015.32 4933.93 4875.93 4863.93 4863.95 5084.95	4988. Ø3 4962. 34 4923. 96 4871. 95 4861. 95 5030. 94	4975.92 4919.95 4873.96 4866.93
187.81 1887.81 1999.98 2999.96 4499.95 8999.89	89.99 999.99 1999.98 2999.96 4499.95 8999.95	196.91 994.08 1749.98 2749.97 3999.95 6999.91	1249.98 2249.97 3249.97 4999.94 11999.85
4 8 8 9 6 9 3 8 9 6 9 8 9 6 9 8 9 6 9 8 9 6 9 8 9 9 6 9 8 9 9 9 8 9 9 9 8 9 9 9 8 9 9 9 9	5015.13 4917.95 4865.95 4885.95 4988.94 4929.93	5 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	4969.95 4903.94 4868.94 4871.95 4978.95
295.30 1249.98 2249.97 3249.96 4999.94	200.00 1249.98 2249.97 3249.96 4999.96	295.38 899.98 1999.98 2999.96 4499.85 8999.85	1499.98 2499.97 3499.96 5999.93 14999.93
4888.75 4847.94 4841.93 4858.93 4868.94 4978.94	4957.95 4904.93 4858.93 4875.96 4978.94	4967.85 4858.95 4864.93 4866.93 5120.93	4955.94 4898.95 4883.95 5838.93

CEAN
Ō
FIC
CI
Ϋ́

					i		
	4902.93 4852.93 4857.94 4857.95 4898.96 5094.62		4924.55 4864.93 4852.93 4854.93 4867.95 4929.93		4864.05 4889.93 4849.94 4854.93 4867.95 4929.93		4951.94 48853.93 48864.93 5884.93 5884.95
	749.89 1748.88 2749.97 3999.95 6989.91 18540.16		401.90 999.90 1999.98 2999.96 4499.95 8999.89		401.90 999.99 1999.98 2999.96 4499.95 8999.89		1749.98 2749.97 3999.95 6999.91 17899.77
	4919.95 4858.83 4847.94 4851.94 4883.93 5030.94		4930.02 4865.33 4853.95 4853.95 4863.95 5054.73		4961.75 4890.23 4853.95 4852.93 4863.95 4898.96 5071.95		4967.95 4897.94 4865.95 4883.93 5030.94
	489.89 1499.98 2499.97 3499.95 5999.93		205.71 992.80 1749.98 2749.97 3999.95 6999.91		201.69 993.20 1749.98 2749.97 3999.95 6999.91		1499.98 2499.97 3499.96 5999.93
	4939.25 4868.94 4847.94 4849.94 4878.95		4927.93 4880.13 4855.95 4851.94 4859.95 4883.93	F.	449959 48939 4863.93 48899.94 5889.95 5884.95		4972.94 4915.95 4868.94 4871.95
	19.68 1249.98 2249.97 3249.96 4999.94 11999.85		8.89 748.09 1499.98 2499.97 3499.96 5999.93 14999.82		74.51 729.98 1499.98 2499.97 3499.96 5999.93		2249.97 3249.96 4999.91
	4938 4886.95 4849.94 4863.95 4929.95		4927.73 4905.25 4859.95 4851.94 4857.95 4872.95		4958.44 4938.95 4873.96 4849.94 4872.93 4872.94		4972.94 4933.93 4873.96 4866.93 4929.93
D05		P 06	534.08 1249.98 2249.97 3249.95 4999.94	P07	533.49 1249.98 2249.97 3249.95 4999.95	P08	1999 2999 2999 44999 8999 8999 8999 8999

PACIFIC OCEAN

199.98 4967.95 1749.98 4951.94 1999	70.90 4973.04 1499.98 4967.95 17
99.97 4897.94 2749.97 4883.93 2999	149.97 4915.95 2499.97 4897.94 27
99.96 4865.95 3999.95 4864.93 4499	149.96 4868.94 3499.96 4865.95 39
199.93 4883.93 6999.91 4898.96 8998	199.94 4871.95 5999.93 4883.93 69
199.82 5030.94 17999.77 5084.95 19223	199.85 4978.94 14999.82 5030.94 179
0.00 4972.94 14	0.00 4972.94
2249.97 4915.95 24	1999.98 4933.93 22
3249.96 4868.94 34	2999.96 4873.96 32
4999.94 4871.95 59	4499.95 4866.93 49
11999.85 4978.94 149	8999.89 4929.93 119

INDIAN OCEAN

		5041.30	4920.40	4920.00	4913.00	4903.00	4931.00	
	MARCH	329.40	1150.00	2000.00	3000.00	4500.00	9000.00	
		5045.	4928.	4920.	4915.	4906.		5072.
	LON 5	164.70	1000.00	1750.00	2750.00	4000.00	7883.88	17550.00
	N 94 40 N	5045.90	4941.20	4921.00	4917.00	4910.00	4904.00	5025.00
		82.40	740.20	1500.00	2500.00	3500.00	6000.00	15000.00
		47.	19.	22.	919.		4902.00	78.
101	,	00	493 80	0	2	0	5000 00	12000.00

Þ

TABLE (XVII). Numerical values of sound speeds (in feet/sec) for ICAPS profiles.

ATLANTIC OCEAN

	MM40070		4 ← 0 0 10 0		N44WN		-040-4
	DURWWOL		71.5037.3		7883		000000
	00000000000000000000000000000000000000		224 224 224 224 224		368 368 333 368 311		022 091 0935 016
	44444Q		44444 N		N444N Ø0000 Ø		N4444N
	ಗ್ರಹ್ಮ ಬಹ್ಮ ಹೃತ್ತಾಗ್ರಹ್ಮ ಬಹ್ಮ ಬಹ್ಮ ಬಹ್ಹ ಬಹ್ಹ ಹೃತ್ತಾಗಿ ಪ್ರಕ್ಷಣೆಗೆ ಪ್ರಕ್ಷಣೆಗೆ ಪ್ರಕ್ಷಣೆಗೆ ಪ್ರಕ್ಷಣೆಗೆ ಪ್ರಕ್ಷಣೆಗೆ ಪ		00740 0		ထ ထ္ထ ာရာ		@@000@@
	WWB08-W 880W4-WW				W → W → W → W → W → W → W → W → W → W →		-00000- 1
	2000 2000 2000 2000		150 150 150 150 150 150 150		000 004 100 100 100 100 100 100 100 100		7822 782 786 786 786
	4W		-799		-4×		-200
	588889 58888		1872		883933		-00089 -00087 -0007 -0008
	6483899. - 48899.		2333. 233.		084480		29. 966. 955.
	444444 0000000000		QQQQQQQ		0444 000000		N4444N 20000000
	2 0 10 00 00 00 00 00 00 00 00 00 00 00 00		#10 MED		8000M		04 N M Ø Ø
	QN4-QNQ4		9-8-7-7 4-8-8-8-8-8-8-8-8-8-8-8-8-8-8-8-8-8-8-8		0-WQ4		404100
	2000 2000 2000 2000 2000 2000 2000		232 469 8853 921 231		65 69 69 64 84 84 84		52 147 115 934 123
	93,35		- 4- 15 - 15 - 15 - 15 - 15 - 15 - 15 - 15		က်ကိတ်		4N
	222222		87-18		78787		888 888 888 888 888 888 888 888
	0000000 1		4.0000 0.00-000		## 50 N D D D D D D D D D D D D D D D D D D		MBBMND
	444444 000000000 040000000		0000000 0000000		2004 7004 7007 7008		0004 0004 0004 0004 0004
	78888888 78884888		2002 2003 2004 2009		08889 7888 7888 7888		9W-904 900000
	37. 27. 27. 28. 28. 25.		43834 43854		222 754 888		35 25 48 42 42
	3228		-47 800 -47 -47		1 32 82 82		1 17 39 98
					4 N D D D V		พ–๒๓๓๓๒๒
	0.000 0.000 0.000 0.000 0.000		668 888 888 778 778		-0.00000		2 -00 0 n n 0
	04WWWWV 00V44V4-		0000000 000000000000000000000000000000		0000 0000 017 010		0.55 0.12 0.02 0.03 0.03 0.03 0.03 0.03 0.03 0.0
	444444N 0000000000		444440		N4444.		DD4444D
	27.004.00 27.004.00		2882728 7882728		8000-94 875087		0 0 0
	200-V002		2088868 30888-		∞ ∞ ∞ ∞ − ∞		000-000 000-000
101	4 4 7 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	102	48 68 328 828 791	03	24.43 4.43 4.43 4.43 4.43 4.43 4.43 4.43	04	28 136 328 828 771
A	-	K		₹	# #	¥	-
	a a		•	•	*		

ATLANTIC OCEAN

	5057.02 5000.59 5001.91 4993.38 4919.23 5069.16	5034.39 5002.56 4914.64 5088.85
	184.99 426.58 1230.38 1982.86 2493.41 6561.68	1640.84 1640.40 3280.80 8202.00 17519.47
	5059.32 5004.53 5000.59 5000.59 4968.11 4901.52 5012.73	5060.30 5000.59 4953.68 4919.23 5069.16
	82.02 328.08 1089.23 1706.02 2378.58 4921.20	88.58 492.12 2624.64 6561.60 16404.00
	5059.65 5012.73 5000.27 5001.91 4977.96 4899.55	5858.66 5885.52 4985.58 4981.52 58 12.73
	65.62 2499.34 1482.93 2238.93 3936.96 9842.48	59.05 344.48 2099.71 4921.20 13123.20
	50000000000000000000000000000000000000	5057.35 5012.73 4998.30 4999.22 4962.87
A 05	203.41 203.41 708.65 1312.32 2099.71 3280.80 8202.00	406 0.00 252 62 1843 81 3936 96 9842 40

PACIFIC OCEAN

01 255.90 4954.34 423.22 4871.33 974.40 4863.79 1968.48 4842.79 4921.20 4869.04 13123.20 4998.95	02 265.74 4936.95 629.91 4913.32 1318.88 4888.72 3280.80 4863.13 8202.00 4916.28	03 0.00 4999.61 137.79 4986.82 748.02 4967.13 1968.48 4893.97 4921.20 4872.32 13123.20 4998.63	0.00 4945.15 413.38 4928.75 1141.72 4880.19 2624.64 4844.43 6561.60 4889.70 16404.00 5057.02
108.27 285.43 521.65 1202.77 2624.64 6561.60	127.95 344.48 757.86 1515.73 3936.96 9842.40	39.37 195.85 1853.14 2624.64 6561.60	78.74 600.39 1318.88 3280.80 8202.00
4950.48 4894.95 4853.29 4846.87 5058.34	5605.52 4914.64 4909.72 4864.22 4964.44	4996.66 4979.27 4958.27 4864.44 4891.34 5057.68	4945.48 4928.21 4863.79 4814.64 5885.57
137.79 324.80 559.44 1318.88 3280.80 17749.13	157.48 442.91 984.24 1968.48 4921.20	68.90 383.85 1309.04 3280.80 8202.00 19192.68	167.32 718.50 1515.73 3936.96 9842.40
4919.23 4888.72 4877.89 4849.68 4951.32 4916.28 5ø82.94	4998.95 4907.75 4901.84 4864.77 4873.96 4998.95	4995.34 4971.72 4945.88 4859.52 4915.95 5108.53	4943.51 4910.37 4856.24 4941.87
157.48 374.01 787.39 1515.73 3936.96 9842.40	196.85 511.80 1151.56 2624.64 6561.60	78.74 561.02 1515.73 3938.96 9842.40	285.43 836.60 1968.48 4921.20 13123.20
4905.13 4878.88 4871.00 4845.09 4857.55 4942.52	4961.88 4907.75 4895.94 4861.49 5058.34	4994.69 4970.41 4932.03 4861.49 4942.52	4937.93 4900.53 4845.09 4867.07 4998.63

4925.46 4877.24 4860.18 4941.54	4924.81 4909.06 4868.05 4868.83 4853.61 4999.28	4958.93 4905.78 4893.31 4879.21 4868.38 4916.93	4977.30 4967.46 4948.76 4881.50 4864.11
767.7. 1515.73 3936.96 9842.40	334.64 534.77 793.95 1059.70 1318.88 1968.48 1921.20	367.45 600.39 862.85 1122.03 1384.50 8202.00	72.18 531.49 1059.70 1968.48 4921.20
4942.85 4888.06 4855.91 4914.96 5085.89	4931.04 4912.01 4884.78 4870.68 4862.14 4857.22 4863.79 4942.85	4955.98 4923.82 4894.63 4881.83 4858.54 4858.54 5063.26	4980.91 4967.46 4955.32 4912.34 4851.97
598.54 1318.88 3288.80 8202.00 17978.79	272.31 469.15 731.62 998.88 1253.27 1582.61 3936.96	318.24 534.77 797.23 1056.42 1322.16 2624.64 6561.60	55.77 469.15 990.88 1582.61 3936.96 9842.48
4949.74 4897.25 4853.29 4898.69 585 7.35	4932.03 4927.43 4890.69 4873.30 4863.79 4857.88 4857.88	4953.02 4933.01 4896.92 4884.45 4875.27 4857.88 4899.28	4984.19 4956.15 4928.32 4920.21 4845.09 4914.86 5086.55
344.48 1181.09 2624.64 6551.60 16404.00	206.69 403.54 666.00 928.47 1190.93 1450.11 3280.80	272.31 465.87 731.62 994.08 1256.55 1968.48 4921.20	36.09 200.13 925.19 1322.16 3280.80 8202.00
49953.35 4913.00 4858.54 4968.54 4968.54	4929.48 4926.45 4981.19 4865.18 4859.19 4852.25 505.25	4448899 48899 48899 48899 4889 4868 4868	4983.54 4972.71 4960.57 4934.32 4849.35 4889.35
0.00 954.71 1968.48 4921.20 13123.20	80.00 370.73 600.39 600.39 1122.03 1122.03 1587.78 2624.64 6561.60	0.00 403.54 666.00 925.19 1190.93 1499.33 3936.96 9842.40	0.00 137.79 793.95 1125.31 2624.64 6581.60

PACIFIC OCEAN

	4976.64 4951.05	910.3	8/9.7 876 8	850.0	916.2	087.2				922.1	873.9	880.8	857.5	844.1	835.2	4864.44	988.3	
	68.90 400.26	25 25 25 26	12.00 4.00 - 0	.8	202.0	978.7				137.79	97.1	61.1	25.1	318.8	968.4	7.	123.2	
	4976.97 4964.18	914.3	830.5 837.5	843.7	891.3	828. B				93	883.1	878.8	852.9	842.7	838.8	51.6	941.8	
	36.09	59.4	27. 2. a.	4.0	561.6	404.0				104.99	31.4	28.3	92.3	253.2	499.3	6.9	842.4	
-	4979.68	922.5	889.7 831 0	840.8	868.7	999.2				940.5	897.5	872.9	857.8	839.1	842.1	842.7	4914.64	087.2
	13.12	97.1	58.50 0.20	, ω 14.	921.2	123.2				g. 8	00.2	95.5	59.5	122.B	450.1	280.8	8202.00	978.7
·	4979.27	927.1	904.4	850.3 850.3	856.5	942.8				940.	912.0	867.0	878.8	857.5	843.7	838.5	4888.72	058.0
~	8.00 101.70	31.4	95.00 0.00	· M	936.9	842.4				Ø	03.4	62.7	93.9	90.8	384.5	624.6	6561.60	404.0
P09						1	1	D10	2						,			

5049.81 5004.20 4943.51 4924.48 4920.54 4935.62 4905.78 4908.63
393.78 524.93 823.48 1640.40 1968.48 2526.56 2624.64 4921.20
5050.79 5026.84 4958.93 4927.11 4919.23 4936.29 4914.64
246.26 492.12 659.44 1558.38 1886.46 2214.54 2539.34 3936.98
5054.40 5041.93 4966.80 4919.23 4932.36 4919.23 4922.18 4927.18
157.48 475.72 626.63 1476.36 1804.44 2139.08 2260.60 8282.08
5056, 79 5044, 89 4921, 89 4931, 64 4916, 61 4919, 56 4927, 43 5054, 40
459 31 577 42 1394 34 1722 42 2858 58 2378 58 5785 48 6561 68

REFERENCES

- 1. "Comparison of the ICAPS and SIMAS Historical Environmental Data Base", by E. Hashimoto, NORDA Code 321, FY-79 APP Task II Report, 28 September 1979 (in press NORDA TM-#66).
- 2. "ICAPS and SIMAS Sound Speed Profile Generation Methodologies", by J. Locklin and B.W. Scaife, ODSI, 21 April 1980, UNCLASSIFIED.
- 3. "The ICAPS Water Mass History File", by A. Fisher, Jr., NOO RP-19, May 1978.
- 4. "Description of ICAPS Environmental Data Structure", by J. Lever, NOO TM-3700-82-79, March 1979.
- 5. "A Functional Description of the Sonar In-Situ Mode Assessment System (SIMAS)" (U), G. Brown, Naval Underwater Systems Center, New London, CT, NUSC TM-781058, 16 February 1978 (CONFIDENTIAL).
- 6. "SIMAS Operations Aboard USS Console (F1056)" (U), G. Brown, Naval Underwater Systems Center, New London, CT, TM-222-C22-76, 31 December 1976 (CONFIDENTIAL).
- 7. "Oceanographic Analysis Manual for On-Scene Prediction Systems", A. Fisher, Jr., Naval Oceanographic Office, NSTL Station, MS, NOO RP-20, May 1978.
- 8. "Description of the ICAPS Environmental Data Structure", J. Lever, Naval Oceanographic Office, NSTL Station, MS, NOO TN-3700-82-79, March 1979.
- 9. "Evaluation of Standard Ocean Candidates", E. Hashimoto, S. Daubin, Jr., J. Colborn, Pacific Sierra Research Report 922, March 1980.
- 10. VanWyckhouse, R.J. (1979). <u>SYBAPS, Volume I: Data Sources and Data Preparation (U)</u>. Naval Ocean Research and Development Activity, NSTL Station, MS NORDA Technical Note No. 35, CONFIDENTIAL.
- 11. VanWyckhouse, R.J. (1979). SYNBAPS, Volume II: Techniques of Structuring and Retrieval. Naval Ocean Research and Development Activity, NSTL Station, MS NORDA Technical Note No. 36 (in prep.)
- 12. Webster, J. (1979). SYNBAPS EDIT/PRINT Program. Ocean Data Systems, Inc. Rockville, MD. Technical Task Report, Contract N00014-77-C-0014.